

PRODUCT DATASHEETHAL CL B 30 W 230 V E14

HALOGEN CLASSIC B | Halogen lamps, classic mini-candle shape



AREAS OF APPLICATION

- General illumination
- Dining table lighting
- Entrance lighting
- Restaurants, hotels and similar prestigious applications

PRODUCT BENEFITS

- Simple direct replacement for conventional incandescent lamps
- The same pleasant quality of light as that of an incandescent lamp
- Instant 100 % light, no warm-up time
- Contains no mercury
- UV filter

PRODUCT FEATURES

- Average life: 2,000 h
- 100 % dimmable
- Perfect color rendering (R_a: 100)

TECHNICAL DATA

Electrical data

Nominal wattage	30.00 W
Nominal voltage	230 V
Rated wattage	30.00 W
Power factor λ	1.00
Claimed equiv. conventional lamp power	40 W


Photometrical data

Nominal luminous flux	405 lm	
Rated color temperature	2700 K	
Light color (designation)	Warm White	
Rated luminous flux	405 lm	
Color rendering index Ra	100	
Lumen main.fact.at end of nom.life time	0.80	
Color temperature	2700 K	
Luminous flux	405 lm	
Color rendering index Ra	100	

Light technical data

Starting time	0.0 s		
Warm-up time (60 %)	0.00 s		

Dimensions & weight



Diameter	35.0 mm
Overall length	104.0 mm
Length	97.0 mm
Light center length (LCL)	67.0 mm
Outer bulb	B35

Maximum diameter 36.0 mm

Lifespan

Nominal lamp life time	2000 h	
Rated lamp life time	2000 h	
Number of switching cycles	50000	

Additional product data

Base (standard designation)	E14		
Mercury content	0.0 mg		
Mercury-free	Yes		

Capabilities

Burning position	Any
Dimmable	Yes

Certificates & standards

Energy consumption	30 kWh/1000h		
Energy efficiency class	D		

Country-specific categorizations

LOGISTICAL DATA

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899027220	HAL CL B 30 W 230 V E14	Shipping carton box 40	184 mm x 150 mm x 213 mm	5.88 dm ³	1000.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.